

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

		<u></u>			
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/770,911	02/03/2004	Jonathan E. Chuchla	35533.00.0003 1709		
	7590 03/19/200 CE KAUFMAN & KA	EXAM	EXAMINER		
222 N. LASALI		SHAPIRO	SHAPIRO, LEONID		
CHICAGO, IL	60601	ART UNIT	PAPER NUMBER		
:			2629		
		j			
SHORTENED STATUTORY	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MO	NTHS	03/19/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No) .	Applicant(s)				
Office Action Summary		10/770,911		CHUCHLA, JONATHAN E.				
		Examiner		Art Unit				
		Leonid Shapiro		2629				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status	•							
1)⊠	Responsive to communication(s) filed on	03 February 2004						
·	This action is FINAL . 2b)⊠ This action is non-final.							
′=	<i>,</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
٥,۵	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims								
•	4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.							
• •	4a) Of the above claim(s) is/are withdrawn from consideration.							
• ==	5) Claim(s) is/are allowed.							
	Claim(s) <u>1-20</u> is/are rejected.		•					
·	Claim(s) is/are objected to.							
8)	Claim(s) are subject to restriction a	ind/or election require	ement.					
Applicati	on Papers							
9) 🗌 🤈	The specification is objected to by the Exa	miner.						
10)[The drawing(s) filed on is/are: a) \Box	accepted or b) de	jected to by the E	xaminer.				
	Applicant may not request that any objection to	the drawing(s) be hele	d in abeyance. See	37 CFR 1.85(a).				
	Replacement drawing sheet(s) including the co	orrection is required if t	he drawing(s) is obj	ected to. See 37 CF	FR 1.121(d).			
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority under 35 U.S.C. § 119								
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:								
	1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No								
3. Copies of the certified copies of the priority documents have been received in this National Stage								
application from the International Bureau (PCT Rule 17.2(a)).								
* See the attached detailed Office action for a list of the certified copies not received.								
,					,			
Attachment(s)								
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date.								
3) 🛛 Inform	nation Disclosure Statement(s) (PTO/SB/08)		Notice of Informal Pa					
Paper No(s)/Mail Date 6) Other:								

Art Unit: 2629

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claims 18-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Odryna et al. (6,333,750 B1).

As to claims 18,20 Odryna et al. teaches a of displaying multiple video images on a single display device (fig. 2, item 12, col. 6, lines 23-50) comprise of steps of:

receiving a plurality of video signals at a video processor (in the reference is equivalent to a system card), each of the video signals being capable of being processed to generate an image on a display device such that a first one of the video signals will generate an image of a first size on a display device and a second one of the video signals will generate an image of a second size on a display device (from col. 3, line 52 to col. 4, line 7 and figs 1-2, col. 6, lines 23-60); and

processing at least one of the video signals alter its receipt so mat when the first and second video signals are processed, they each generate images of the same size on a display device (fig. 1A, item 12, from col. 3, line 52 to col. 4, line 7).

As to claim 20, it generally considered to be within the ordinary skill in the art to use Creston video processor absent of showing criticality of in a particular processor.

Art Unit: 2629

Thus, it would have been obvious to one of ordinary skill in the art at the time of invention to interchange processors. Such a limitation would have been considered as obvious variation on the matter of selected processors. In re Rose, 105 USPQ 237 (CCPA 1955).

As to claim 19, Odryna et al. teaches changing the number of pixels in at least one of the vertical and horizontal directions of at least one of the video signals so that images generated on a display device are substantially the same size (fig. 1A, item 12, from col. 3, line 52 to col. 4, line 7).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1,4-6,10-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Odryna et al. in view of Uno et al. (6,025,817).

As to claim 1, Odryna et al. teaches a video display system (col. 3, lines 1-4) comprised of:

a video processor having at least a first computer video input port (col. 3, lines 1-4) and a second, NTSC video input port (col. 3, lines 30-34) and a video signal

Art Unit: 2629

output port, capable of being operatively coupled to a fixed-pixel array video display device (col. 2, lines 23-27); and

a memory storage device, operatively coupled to the video processor and storing program instructions which, when executed cause the video processor to format video input signals at both ports, into a video signal that is sent to a fixed pixel video display device where upon video input signals are scaled to fit to video window areas within the fixed pixel array display (from col. 3, line 52 to col. 4, line 7 and col. 2, lines 23-27).

Odryna et al. does not teach a single VESA compliant video signal that is sent to a fixed pixel video display device.

Uno et al teaches a single VESA compliant video signal that is sent to a fixed pixel video display device (fig. 3, col. 1, lines 25-27).

It would have been obvious to one ordinary skill in the art at the time of the invention to incorporate teachings of Uno et al. into Odryna et al. system in order to use commonly accepted standard (col. 1, lines 25-27).

As to 4-5,10-11,13-14 Odryna et al. teaches program instructions which when executed cause the video processor to display a video image from a video source in a corresponding window on the display device the memory storage device stores program instructions, which when executed cause the video processor to alter a video image from a video source by adding or deleting vertical pixels and adding or deleting horizontal pixels (fig. 1A, item 12, from col. 3, line 52 to col. 4, line 7).

Art Unit: 2629

As to claims 6,12 Odryna et al. teaches a video display system (col. 3, lines 1-4) comprised of:

display device capable of displaying multiple video images in separate display areas of the display device, each video image displayed on the display device being generated from a corresponding video signal from a corresponding video source (from col. 3, line 52 to col. 4, line 7 and col. 2, lines 23-27);

a Creston video processor having at least a first computer video input port, a first computer video input port that is capable of receiving a first format video signal (col. 3, lines 1-4) and a second input port that is capable of receiving a second format video signal (col. 3, lines 30-34) and a video signal output port, capable of being operatively coupled to a video display device (col. 2, lines 23-27); and

a memory, operatively coupled to the video processor and storing program instructions which, when executed cause the video processor to format video input signals at both ports, into a video signal that is sent to a fixed pixel video display device where upon video input signals are scaled to fit to video window areas within the fixed pixel array display (from col. 3, line 52 to col. 4, line 7 and col. 2, lines 23-27).

Odryna et al. does not teach a single VESA compliant video signal that is sent to a fixed pixel video display device.

Uno et al teaches a single VESA compliant video signal that is sent to a fixed pixel video display device (fig. 3, col. 1, lines 25-27).

Art Unit: 2629

It would have been obvious to one ordinary skill in the art at the time of the invention to incorporate teachings of Uno et al. into Odryna et al. system in order to use commonly accepted standard (col. 1, lines 25-27).

3. Claims 2-3,7-9,15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Uno et al. and Odryna et al., and further in view of Yavid et al (6,802,451 B2).

As to claim 2-3,7-9 Yavid et al. teaches a control input that is capable of being coupled to a fixed pixel array display device that provides a signal to the video processor that indicates where a tactile contact with the display device was made; and where said memory includes additional instructions which when executed cause said processor to read a signal at said control input and correlate the location of a contact with said fixed-pixel array display device with an image being projected on said device. (fig. 1, col. 8, lines 36-64).

As to claim 15, Odryna et al. teaches a video display system (col. 3, lines 1-4) comprised of:

fixed-pixel array display device said display device capable of displaying multiple video images in separate display areas of the display device, each video image displayed on the display device being generated from a corresponding video signal from a corresponding video source (from col. 3, line 52 to col. 4, line 7 and col. 2, lines 23-27);

a video processor having at least a first computer video input port, a first computer video input port that is capable of receiving a first format video signal (col. 3,

Art Unit: 2629

lines 1-4) and a second input port that is capable of receiving a second format video signal (col. 3, lines 30-34) and a video signal output port, capable of being operatively coupled to a fixed-pixel array video display device (col. 2, lines 23-27); and

a memory, operatively coupled to the video processor and storing program instructions which, when executed cause the video processor to format video input signals at both ports, into a video signal that is sent to a fixed pixel video display device where upon video input signals are scaled to fit to video window areas within the fixed pixel array display (from col. 3, line 52 to col. 4, line 7 and col. 2, lines 23-27).

Odryna et al. does not teach a single VESA compliant video signal that is sent to a fixed pixel video display device.

Uno et al teaches a single VESA compliant video signal that is sent to a fixed pixel video display device (fig. 3, col. 1, lines 25-27).

It would have been obvious to one ordinary skill in the art at the time of the invention to incorporate teachings of Uno et al. into Odryna et al. system in order to use commonly accepted standard (col. 1, lines 25-27).

It generally considered to be within the ordinary skill in the art to use Creston video processor absent of showing criticality of in a particular processor. Thus, it would have been obvious to one of ordinary skill in the art at the time of invention to interchange processors. Such a limitation would have been considered as obvious variation on the matter of selected processors. In re Rose, 105 USPQ 237 (CCPA 1955).

Art Unit: 2629

Uno et al. and Odryna et al. do not disclose in different sections of the display device, the program instructions further causing the processor to read signals indicative of tactile contact with the display device and to display on the display device, an indication of the tactile contact to electronically simulate the action of drawing on the screen with a marker or to manipulate the functions of the attached computers.

Yavid et al. teaches that in different sections of the display device, the program instructions further causing the processor to read signals indicative of tactile contact with the display device and to display on the display device, an indication of the tactile contact to electronically simulate the action of drawing on the screen with a marker or to manipulate the functions of the attached computers (fig. 1, col. 8, lines 36-64).

It would have been obvious to one ordinary skill in the art at the time of the invention to incorporate teachings of Yavid et al. into Uno et al. and Odryna et al. system in order to selecting a projected icon (col. 8, lines 39-42 in the Yavid et al. reference).

As to claims 16-17, Odryna et al. teaches program instructions which when executed cause the video processor to display a video image from a video source in a corresponding window on the display device the memory storage device stores program instructions, which when executed cause the video processor to alter a video image from a video source by adding or deleting vertical pixels and adding or deleting horizontal pixels (fig. 1A, item 12, from col. 3, line 52 to col. 4, line 7).

Application/Control Number: 10/770,911 Page 9

Art Unit: 2629

Telephone Inquire

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leonid Shapiro whose telephone number is 571-272-7683. The examiner can normally be reached on 8 a.m. to 5 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe can be reached on 571-272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LS 03.15.07

> RICHARD HJEHPE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600